LONGSN

LONGSN
MACHINES

隆丰达机械设备

Zhangjiagang Longsn Machine Co.,Ltd

18年专业经验，包装机械行业的领跑者

18 years of professional experience, leader in packaging machinery industry

0086-15995983945

info@longsnmachine.com

www.longsn-machine.com

江苏省张家港市江帆路8号高新科技产业园G-1幢
No.8 Jiangfan Road , High Technology Industry Zone G-1 ,
Zhangjiagang City, Jiangsu P.R, China

LONGSN

www.longsnmachine.com

公司简介

COMPANY CULTURE





张家港市隆丰达机械设备有限公司是包装机械行业的领跑者，我们以质量是我们的文化为宗旨，为客户提供高品质的机器和更好的服务。

我们为客户提供厂房布局图设计，生产设备和生产线安装调试，操作人员的培训等最好的售后服务，我们所有的机器提供 2 年保质期和免费配件，以及 24 小时售后服务。当客户需要配件时，所有配件会在 5 天内用 DHL 快递给客户寄出。

我们的机器产品被客户广泛的认可和信赖，满足不断变化的经济和社会需求，为客户创造效益，现在我们的机器设备已经远销 40 多个国家和地区，例如美国，英国，美洲和欧洲其他国家，以及非洲，亚洲－些国家。

我们欢迎新老客户和各界人士联系我们！

Zhangjiagang Longsn Machine Co.,Ltd is a leader in packaging machines field , we base on the purpose that : Quality Is Our Culture , make good quality machinesand give best service to our customers .

We will provide best services to customers , from factory layout , equipments manufac-ture and production line set up, Equipments installation ,operator training and best af-ter-sales service, All machines are two years warranty service for customer and also freespare parts support, 24 hours service that when customer need sapre parts , all in 5 dayswill be sent to customer by DHL courier.

Our products are widely recognized and trusted by customers and can meet continu-ously changing economic and social needs, to help customer make good profit ,now ourmachines have been exported to over forty countries and regions, such as Britain, UnitedStates, Also the Middle East, Southeast Asia, Africa, Russia, South Africa ,south A merica

为什么选择我们

WHY CHOOSE US



www.longsnmachine.com

LONGSN MACHINES 张家港市隆丰达机械设备有限公司

PRODUCT CATALOG

产品目录

自动空瓶打包装袋机 Automatic empty bottle packing machine（load bag by hand） ····· 04
全自动空瓶打包装袋机 Full automatic empty bottle packing machine ····· 05
全自动切口机 Automatic Bottle Cutting Machine ····· 06
全自动修口机 Automatic Bottle Trimming Machine ····· 07
全自动空瓶测漏机 Automatic empty bottle leakage tester ····· 08
全自动塞垫片机 Automatic cap liner inserting/lining machine ····· 09
全自动组盖机 Automatic cap assembly machine ····· 10
全自动组盖垫片一体机 Automatic Cap assembly wadding machine ····· 11
全自动瓶盖切环机 Automatic plastic cap anti-theft ring slitting machine ····· 12
全自动瓶盖折边机 Automatic Plastic Cap Folding Machine ····· 12
全自动瓶盖折边切环一体机 Automatic plastic cap slitting folding machine ····· 13
输送系统/机械手臂 Conveyor system and Robot system ····· 13
全自动的压提环机 Automatic Bottle Handle Ring Applicator ····· 14
全自动模内贴标机 Automatic In-Mould labeling machine ····· 15
全自动直线式热熔胶贴标机 Automatic Linear Hot-Melt OPP Labeling Machine ····· 16
全自动旋转式热熔胶贴标机 Automatic rotary Hot-Melt OPP Labeling Machine ····· 17
全自动旋转不干胶贴标机 Automatic rotary adhesive sticker labeling machine ····· 18
全自动直线式不干胶贴标机 Automatic linear adhesive sticker labeling machine ····· 19
全自动套标机 Automatic sleeve shrink labeling machine ····· 19
全自动中空吹塑机 Automatic extrusion blow molding machine ····· 20
全自动开封箱机 Aautomatic Carton erector / sealer ····· 21
全自动装箱机/理瓶机 Automatic Carton Packer / Automatic Empty bottle unscrambler ····· 22

LONGSN MACHINES ZHANGJIAGANG LONGSN MACHINE CO.,LTD

自动空瓶打包装袋机

Automatic empty bottle packing machine（load bag by hand）



LONSGN 自动装袋机是设计用筒膜打包塑料空瓶。包装速度可调节，可以大大提高生产效率，同时降低劳动成本。这台机器可以根据客户塑料容器定制包装要求、尺寸。它可以与其他生产设备，例如吹塑瓶机和贴标机，测漏机连线，实现塑料容器的全自动生产线。

LONGSN 自动包装机可以适用于PE、PP、PET瓶，占用空间小，速度快，PLC + 触摸屏控制系统，操作方便，有效地避免产品二次污染，广泛应用于化妆品、食品、饮料、医药等领域。


LSN-S series automatic bagging machine is designed to pack empty plastic containers into prepared plastic bags. The packing speed can be adjusted, which can improve the productivity greatly and reducing labor cost at the same time. This machine can packing plastic containers according to customer containers customized. It can be in line integrated with other bottle making equipments such as blow molding machine and labeling machine, fulfilling a full automatic production line for plastic containers

LONGSN automatic packing machine can be suitable for PE,PP,PET bottles , Small footprint and fast speed , PLC +Touch screen controlled system , easy operation , effectively avoid the product contamination by human hands ,widely used in cosmetic ,food ,beverage, medicine and other fields .

技术参数 / Technical parameters

机器型号 Model	LSN-S160
打包速度 Capacity speed	3000-12000PCS/H（Customized）
瓶型尺寸 Suitable bottle size	10ml-50L
瓶子材料 Bottle material	PE,PP,PE,PETG ,PC
机器尺寸 Machine Size	3500*1650*1800mm（Customized）
机器重量 Machine Weight	850KG（Customized）
电压 Voltage	380V/50HZ/3Phase（Customized）





www.longsn-machine.com

全自动空瓶打包装袋机
Full automatic empty bottle packing machine



LSN–A 系列全自动空瓶打包装袋机是设计用来对塑料空瓶的全自动打包，这种类型的机器不需要工人手动上袋子，机器适用成卷筒膜，当机器需要袋子的时候就可以自动裁剪。所以它可以实现完全自动化。



LSN–A series automatic bagging machine is designed to pack empty plastic containers into prepared plastic bags full automatic , this type machine no need worker to load the bag by hand , it will use the bag roll , when machine will need bag then it can cut the bag from the bag roll automatic . so it can realize full automation.

技术参数 / Technical parameters

机器型号 Model	LSN–A200
打包速度 Capacity speed	3000–12000PCS/H（Customized）
瓶型尺寸 Suitable bottle size	10ml–30L
瓶子材料 Bottle material	PE,PP,PE,PETG,PC
机器尺寸 Machine Size	4500*1700*1800mm（Customized）
机器重量 Machine Weight	1500KG（Customized）
电压 Voltage	380V/50HZ/3Phase（Customized）



全自动切口机
Automatic Bottle Cutting Machine







切瓶口机主要为塑料瓶、塑料壶、塑料桶生产行业而设计，因为一些瓶子在生产出来后可能有多余的部分或瓶口毛边，所以它可以使用切瓶口机切掉多余的部分或瓶口毛边。它大大降低了工厂劳动力成本，提高产品合格率，提高生产力，我们的机器采用软切割风格，它可以保护容器口，不引起任何毛边，保证瓶口顺滑。

可以适用不同瓶型不同材料，例如 PE, PVC, PP, PET，PC 等等，可以和生产线连线适用，最大设计型号产量可达 6000 个每小时。

The bottle neck cutting machine is designed for bottles/jerrycan/barrel production industry , because some bottles may have the superfluous parts or big rough edge when made out by bottle making machine , so it can use the auto bottle cutting machine to cut away the superfluous parts or big rough edge. it hugely reduces the cost for factory in labor, improve product qualified rate and increase productivity .Our cutting adopts the soft cutting style, it protects the container mouth and does not causes any flakes, it can guarantee the smooth ending for you

This cutting machine can be used for plastic bottles/cans, wine cups, pharmaceutical and daily used products. The suitable cutting material can be PE, PVC, PP, PET and PC, It can be connected to the online production. The maximum speed can reach 6000BPH.

技术参数 / Technical parameters

机器型号 Model	LSN–C series
产量速度 Capacity speed	According to the bottles
瓶型尺寸 Suitable bottle size	50ml–330L（Can be Customized）
瓶子材料 Bottle material	PE, PVC, PP, PET and PC
机器尺寸 Machine Size	3000*1200*1300mm（Customized）
机器重量 Machine Weight	450kg（Customized）
电压 Voltage	380V/50HZ/3Phase（Customized）



www.longsn-machine.com

全自动修口机
Automatic Bottle Trimming Machine



修瓶口机主要为塑料瓶、塑料壶、塑料桶生产行业而设计，因为一些瓶子在生产出来后瓶口可能有一些毛边，所以它可以使用修瓶口机去掉瓶口毛边。它大大降低了工厂劳动力成本，提高产品合格率，提高生产力，我们的机器采用软切割风格，它可以保护容器口，不引起任何毛边，保证瓶口顺滑。

可以适用不同瓶型不同材料，例如 PE, PVC, PP, PET，PC 等等，可以和生产线连线适用，最大设计型号产量可达 6000 个每小时。





LSN-T series automatic bottle trimming machine is designed for the bottles which have rough edge/burrs on it , In the bottles/jerrycan/barrel production industry , some bottles may still have rough edge after deflashing , so it will need the bottle neck trimming machine , it can make the bottle neck more smooth , guarantee and improve the quality .


This trimming machine can be used for plastic bottles/cans, wine cups, pharmaceutical and daily used products. The suitable cutting material can be PE, PVC, PP, PET and PC, It can be connected to the online production. The maximum speed can reach 6000BPH.

技术参数 / Technical parameters

机器型号 Model	LSN-C series
产量速度 Capacity speed	According to the bottles
瓶型尺寸 Suitable bottle size	50ml-330L（Can be Customized）
瓶子材料 Bottle material	PE, PVC, PP, PET and PC
机器尺寸 Machine Size	3000*1200*1300mm（Customized）
机器重量 Machine Weight	450kg（Customized）
电压 Voltage	380V/50HZ/3Phase（Customized）

全自动空瓶测漏机
Automatic empty bottle leakage tester





全自动空瓶测漏机广泛应用于食品行业，医药、医疗器械、化学、气体喷雾罐、塑料容器、汽车、摩托车配件等等，它可以是合适的瓶子从 1 毫升到 330 升，其他尺寸也可以定制。它的精度是 0.001 毫米，自动剔除不合格产品，用来以提高产品质量。

Automatic empty bottle leakage tester widely applies to industries in food,medicine, medical instrument, chemical, the gas spray pot,plastic container and the automobile, motorcycle parts and so on , it can be suitable bottle from 1ml to 330L , and also can be customized for other sizes . its precision can be 0.001mm . and reject out the defective product automatic . to improve product quality .

技术参数 / Technical parameters


型号 Moodel	LSN-LT1	LSN -LT2	LSN -LT4	LSN -A8	LSN-S
工位数 Location number	1	2	4	8	customized
速度 Speed	600-1000pcs/h (According to bottles)	800-1500pcs/h (According to bottles)	2000-3000pcs/h (According to bottles)	2500-4000pcs/h (According to bottles)	customized
容器大小 Range	1ml-330L	1ml-30L	1ml-30L	10ml-2L	1ml-330L
机器尺寸 Size	1600*620*1600MM	1600*620*1600MM	2000*750*1800MM	2000*750*1800MM	customized
机器高度 Height	800-1100MM	800-1100MM	800-1100MM	800-1100MM	customized
输送长度 Conceyor length	1600MM	1600MM	2000MM	2000MM	customized
功率 Power	220V 50HZ	220V 50HZ	220V 50HZ	220V 50HZ	customized

www.longsnmachine.com

全自动塞垫片机
Automatic cap liner inserting/lining machine



全自动垫片机广泛应用于塑料瓶工厂 ，垫圈厂、制药厂、食品厂，每日化工厂、石油工厂包装工厂，制药厂和其他机械设备。用来自动将垫片塞入盖子中，监测系统自动剔除不合格或者无垫盖子，机器也可以根据客户的盖子定制 ，机器装有自动计数系统，可以方便客户分箱包装，它大大降低了工厂的劳动成本，提高产品合格率，提高生产率。







The cap lining machine can be widely used in bottle factory,gasket factory,pharmaceutical factory,food factory ,daily chemical factory,oil factory,Packing factory,pharmaceutical factory and other mechanical equipment. To insert the gasket/liner into cap full automatic and reject out the defective product automatic , the machine also can be customized according to customers` caps, and the machine have the counting system for packing ,so very easy for customer to pack the specified number of caps into different cartons , it hugely reduces the cost for factory in labor, qualified rate and increase productivity .


技术参数 / Technical parameters

机器型号 Model	LSN-L2/4/6	LSN-FL1/2/4/6 Reversal structure	LSN-LD series
产量速度 Capacity speed	3000-18000PCS/H (Customized)	2000-18000PCS/H、(Customized)	(Customized)
瓶盖尺寸 Suitable cap size	10mm-150mm	3000-1800PCS/H、(Customized)	(Customized)
机器尺寸 Machine Size	2500*1850*1800mm (Customized)	2500*1850*1800mm (Customized)	2500*1850*1800mm (Customized)
机器重量 Machine Weight	550KG (Customized)	550KG (Customized)	550KG (Customized)
电压 Voltage	220V/50HZ/1Phase (Customized)	220V/50HZ/1Phase (Customized)	220V/50HZ/1Phase (Customized)

全自动组盖机
Automatic cap assembly machine









全自动组盖机广泛应用于塑料瓶工厂，塑料制品厂、制药厂、食品厂，每日化工厂、石油工厂包装工厂，制药厂和其他机械设备。用来对拥有多部分的盖子进行自动组装，监测系统自动剔除不合格或者无垫盖子，机器也可以根据客户的盖子定制，机器装有自动计数系统，可以方便客户分箱包装，它大大降低了工厂的劳动成本，提高产品合格率，提高生产率。

The cap lining machine can be widely used in bottle factory,plastic factory,pharmaceutical factory,food factory ,daily chemical factory,oil factory,Packing factory,pharmaceutical factory and other mechanical equipment. To assembly different parts into a complete cap by full automatic and reject out the defective product automatic , such as oil cap ,sport cap , medicine cap and so on , also can be customized according to customers` caps, and the machine have the counting system for packing ,so very easy for customer to pack the specified number of caps into different cartons, it hugely reduces the cost for factory in labor, qualified rate and increase productivity .

技术参数 / Technical parameters

机器型号 Model	LSN-A2/4	LSN-AD series
产量速度 Capacity speed	3000-12000PCS/H (Customized)	(Customized)
瓶盖尺寸 Suitable cap size	10mm-150mm	(Customized)
机器尺寸 Machine Size	2500*1850*1800mm (Customized)	2800*1850*1800mm (Customized)
机器重量 Machine Weight	750KG (Customized)	750KG (Customized)
电压 Voltage	220V/50HZ/1Phase (Customized)	220V/50HZ/1Phase (Customized)



www.longsn-machine.com

全自动组盖垫片一体机
Automatic Cap assembly wadding machine



全自动组盖垫片一体机针对需要同时组盖和垫片的盖子而设计，可以同时完成对盖子的组装并塞入垫片，机器监测系统自动剔除不合格或者无垫盖子，机器也可以根据客户的盖子定制，机器装有自动计数系统，可以方便客户分箱包装，它大大降低了工厂的劳动成本，提高产品合格率，提高生产率。





LONSGN automatic assembly wadding machine is designed for the caps which need both assembly and wadding . To assembly different parts into a complete cap and also insert the liner into cap, this machine can reject out the defective product automatic , The capacity speed can be adjusted, the machine also can be Customized according to customers` caps, and the machine have the counting system for packing ,so very easy for customer to pack the specified number of caps into different cartons, it hugely reduces the cost for factory in labor, qualified rate and increase productivity .which can improve the productivity greatly and reducing labor cost at the same time.

技术参数 / Technical parameters

机器型号 Model	LSN-AL2/4	LSN-AD series
产量速度 Capacity speed	3000-12000PCS/H (Customized)	(Customized)
瓶盖尺寸 Suitable cap size	10mm-150mm	(Customized)
机器尺寸 Machine Size	2500*1850*1800mm (Customized)	2800*1850*1800mm (Customized)
机器重量 Machine Weight	750KG (Customized)	750KG (Customized)
电压 Voltage	220V/50HZ/1Phase (Customized)	220V/50HZ/1Phase (Customized)



全自动瓶盖切环机
Automatic plastic cap anti-theft ring slitting machine



The machine is designed specially to cut the anti-theft ring for bottle caps , it can work with the cap injection machine or plastic cap compression moulding machine

技术参数 / Technical parameters

机器型号 Model	LSN-S5 (Customized)
产量速度 Capacity speed	3000-20000PCS/H (Customized)
瓶盖尺寸 Suitable cap size	15mm-60mm
机器尺寸 Machine Size	1700mm*700mm*1250mm (Customized)
机器重量 Machine Weight	160KG (Customized)
电压 Voltage	220V/50HZ/1Phase (Customized)

全自动瓶盖折边机
Automatic Plastic Cap Folding Machine

The auto cap folding machine is mainly designed for caps with long and tilting outside anti-theft slice in the anti-theft ring and hard to cap on the bottles. The machine can be effectively solve the problem of the cap anti-theft ring's inner folding.

技术参数 / Technical parameters

机器型号 Model	LSN-F5 (Customized)
产量速度 Capacity speed	3000-20000PCS/H (Customized)
瓶盖尺寸 Suitable cap size	15mm-60mm
机器尺寸 Machine Size	1700mm*700mm*1250mm (Customized)
机器重量 Machine Weight	160KG (Customized)
电压 Voltage	220V/50HZ/1Phase (Customized)



www.longsn-machine.com

全自动瓶盖折边切环一体机
Automatic plastic cap slitting folding machine



The machine is designed to cut the anti-theft ring and folding the long and tilting outside anti-theft slice in the anti-theft ring all by one machine , it can save area and labor cost .

技术参数 Technical parameters

技术参数 / Technical parameters

机器型号 Model	LSN-SF5 (Customized)
产量速度 Capacity speed	3000-20000PCS/H (Customized)
瓶盖尺寸 Suitable cap size	15mm-60mm
机器尺寸 Machine Size	1700mm*700mm*1250mm (Customized)
机器重量 Machine Weight	280KG (Customized)
电压 Voltage	220V/50HZ/1Phase (Customized)

输送系统/机械手臂
Conveyor system and Robot system

These will be used in production line system , used for product transport . all can be Customized according to customer requirements .





全自动的压提环机
Automatic Bottle Handle Ring Applicator





本机采用先进的设计，提高了生产效率，节省了人力物力。本机大量地采用了铝合金及高强度、耐腐蚀的不锈钢和进口电气元件，使机器坚固耐用、操作简单。理环速度可以达到 500-8000BPH，根据客户产量要求定制，压环不成功率低于千分一。

本机可对变形提环造成的卡阻现象自动剔除，确保出环顺畅，

本机可以与食用油、饮料、水生产线配套作业，连接简单

PLC 控制，触摸屏操作，简单方便

只需简单调整就可以适应不同瓶型和不同提环



The machine adopts advanced design, enhanced the production efficiency, save manpower material resources. This machine is widely adopted aluminum alloy and high strength, corrosion resistance of stainless steel and imported electrical components, which make the machine durable, simple operation. The speed can be 500-8000 BPH, customized according to customer's production requirements, error rate is lower than one micrometer.

This machine can automatically reject out the deformed rings , ensure smooth out of the ring,

The machine can be easily to connect with the production for oil ,water , beverage and so on .

The machine use PLC control, touch screen operation, simple and convenient

The machine can need sample adjust then can adapt to different bottles and different ring.



技术参数 / Technical parameters

机器型号 Model	LSN-HS2 (Handle ring Stacking type)	LSN-HA2 (Handle ring auto unscrambler type)
产量速度 Capacity speed	500-3000PCS/H (Customized)	500-8000PCS/H (Customized)
瓶型尺寸 Suitable cap size	2-15L	2-15L
机器尺寸 Machine Size	8000*2000*2500mm (Customized)	8000*2000*2500mm (Customized)
机器重量 Machine Weight	600KG (Customized)	600KG (Customized)
电压 Voltage	380V/50HZ/3Phase (Customized)	380V/50HZ/3Phase (Customized)





www.longsnmachine.com

全自动模内贴标机
Automatic In-Mould labeling machine







Longsn company is the domestic large-sacle In-mould labeling machine manufacturer , The IML machine to stick the label when extrusion blow machine making the containers , so the label and container will be an integrated whole when container made out .

技术参数 / Technical parameters

型号Model	LSN-IML302	LSN-IML300
Y轴手臂张开行程 Y path of arm's opening	30-100mm	30-80mm
X轴贴标行程 X path of labeling	0-1000mm	0-960mm
Z轴机械手可升降高度 Z path of height of rising and declining	980-1340mm	980-1340mm
贴标定位精度 Precision of labeling	+-0.15mm	+-0.25mm
贴标时间 Time of labeling	1.9-5s	2.9-5s
适用吹塑机 Blow machine being applied to	All kind of domestic blow machine	Single and double station, single cavity
适用瓶型 Size of container	0.1L-50L	0.5L-50L
功率 Consumed power	400W	300W
重量 Weight	450kg	380kg
尺寸 Size	1420*860*1560mm	1420*860*1560mm
运行方式 Driving method	PC control and alternating servo motor	PLC, imported pneumatic component
气压 Air compressed	0.4-0.8MPa	0.4-0.8MPa

全自动直线式热熔胶贴标机
Automatic Linear Hot-Melt OPP Labeling Machine



Techmach 电子式自动纠偏导正系统，此类数字式电眼为超音波方式的非接触式电眼，自动调整标签位置。

在不加装电子式自动纠偏导正系统情况下，标签头尾贴合处高低差 2mm 以内，加装电子式自动纠偏导正系统可达 1mm 以内。

只在标签两头施胶，减少胶量，上胶效果均匀美观。

螺杆和星轮配合进料，高速运行下供料性能稳定。

采用 PLC 控制系统，变频调速精度高、稳定。

Techman electronic automatic rectify guide system , digital electronic eye for ultrasound method. Non-contact electric eye ,automatically adjust the label location.(optional)

Label top and end difference within 2 mm (without Techmach),1mm (with techmach)

Roller Gluing ,it is glued on the head and tail of the label which decrease the dosage of the glue and makes the glue marks in equality and nice appearance .

With screw and star-wheel carrying containers firmly while dispensing ,providing stable dispensing performance under high-speed operation.

Adopting PLC control system ,frequency conversion for high accuracy ,liability and stability of speed conversion.

技术参数 / Technical parameters

型号Model	LSN-L100	LSN-L120	LSN-L130
产量 Labeling speed	6000BPH(500ML)	12000BPH(500ML)	18000BPH(500ML)
功率 Power	10KW	10KW	12KW
机器尺寸 Machine Size	1800*2500*1900mm		
容器材料 Container Material	PET ,PP ,PE, HDPE, Glass ,Metal etc		
容器直径范围 Container Diameter	30-120mm(can be customized)		
容器高度 Container height	100-400mm(can be customized)		
标签直筒内径 Label roll inner diameter	6 inches (152mm)		
标签高度 Label Height	20-250mm		
电压 Voltage	AC 380V/50HZ 3Phase (can be customized)		
工作气压 Air Pressure	0.6Mpa		



www.longsnmachine.com

全自动旋转式热熔胶贴标机

Automatic rotary Hot-Melt OPP Labeling Machine





技术参数 / Technical parameters

型号Model	LSN-R300	LSN-R400	LSN-R450
产量 Labeling speed	18000BPH(500ML)	24000BPH(500ML)	30000BPH(500ML)
功率 Power	14KW	18KW	20KW
机器尺寸 Machine Size	2200*2300*2000mm	2200*2500*2000mm	2500*2800*2000mm
容器材料 Container Material	PET ,PP ,PE, HDPE, Glass ,Metal etc		
容器直径范围 Container Diameter	30-200mm(can be customized)		
容器高度 Container height	100-500mm(can be customized)		
标签直筒内径 Label roll inner diameter	6 inches (152mm)		
标签高度 Label Height	20-250mm		
电压 Voltage	AC 380V/50HZ 3Phase (can be customized)		
工作气压 Air Pressure	0.6Mpa		

全自动旋转不干胶贴标机

Automatic rotary adhesive sticker labeling machine

采用国际知名电器元件，PLC 控制，使用方便，参数设定方便快捷。

进瓶、分瓶、调节、信号感应，送标，滚压等整个过程精度高，速度快。

贴标定位精度高，稳定性好，贴标平稳，无褶皱，无气泡。

应用广，适用于圆形，方形，椭圆形，长方形和其他不规则形状容器的贴标。



Adopt international famous electric components ,PLC control, friendly interface,with convenient and rapid setting of parameters.

Bottles pass in ,separating with adjustment ,sensing start signal, label feeding, rolling and complete the whole process with high accuracy and fast speed .

Labeling with high positioning accuracy ,stability, labeling smooth, not wrinkled, no bubbles.

Can be widely suited for round/square/oval/flat/rectangle/irregular containers.

技术参数 / Technical parameters

型号Model	LSN-SR series
产量 Labeling speed	6000-18000BPH
贴标精度 Labeling Accuracy	+-1mm
标签最大高度 Label Max Height	200mm
标签最大宽度 Label Max Width	300mm(can be customized)
容器直径 Container Diameter	30-110mm(can be customized)
容器高度 Container height	120-400mm(can be customized)
卷标尺寸 Label roll diameter	Inner: 76mm Outer:400mm
整机尺寸 Machine Size	3000*1800*2000mm(customized)
功率/工作气压 Power/Air Pressure	10-13KW/0.6Mpa
电压 Voltage	380V/50HZ/3Phase



www.longsn-machine.com


全自动直线式不干胶贴标机
Automatic linear adhesive sticker labeling machine





全自动套标机
Automatic sleeve shrink labeling machine





蒸汽热收缩炉
Steam Shrink Tunnel



电热收缩炉
Electric Heat Hot Air Shrink Tunnel

全自动中空吹塑机
Automatic extrusion blow molding machine



0.05L–15L 中空吹塑机
(0.05L–15L Hollow extrusion blow molding machine)

根据客户瓶型尺寸提供详细合理的中空吹塑方案

According to customers` containers to Customized the suitable extrusion blow machine



20L–1000L 中空吹塑机
(20L–1000L hollow extrusion blow molding machine)

根据客户瓶型尺寸提供详细合理的中空吹塑方案

According to customers` containers to Customized the suitable extrusion blow machine

www.longsnmachine.com

全自动开箱机
Aautomatic Case erector



■ 专业精密设计，荣获多项专利及多家国际知名大厂指定采用。国内纸箱成型、封箱速度最快之机型。、

■ 全机采用凸轮连续系统，机器运转确实、稳定、耐用。突破传统贴带器之设计，封箱密合，胶带抚平效果优良，绝不跳带。任何自黏性胶带均可使用。


■ 成型及封箱采无段变速控制，可任意调整速度，可节省工时。

■ 操作简单，调整容易，无损坏纸箱疑虑。■纸箱储存采卧式，可随时补充空纸箱。III 自动预警提醒更换胶带与补充空纸箱。

■ Precision designed and engineered by expertise.This carton erectorhas been awarded several
■ patents, and has received approval from famousindustries around theworld. It is the highest speedcarton forming and sealing machine inTaiwan.
■ Fully cam driven continuous system assurespositive and stable motionwith maximum stability.
■ In a breakthrough for tapping head design, thismachine provides ex-tremely secure sealing effect,
■ outstanding tape smoothening performance, withouttape slippingproblems.
■ A ccommodates all type of self- -adhesive tapes.
■ Variable speed adjustment for carton forming andsealing. Reducinglabor requirements.
■ Easy to operate and adjust. No damage on carton.Horizontal card-board stacking permits for supplyof empty carboard at any time.
■ Automatic indication for tape replacement or cardboard supply

技术参数 / Technical parameters

型号 Model	spc-K03H40	spc-K03H20	spc-K03H10
开箱能力 Forming and sealing speed	40(cartons)/min	10(cartons)/min	10(cartons)/min
纸箱缓存量 Carton storage quantity	70pcs(700mm)	50pcs(1000mm)	50pcs(1000mm)
纸箱尺寸 Carton sizes (mm)	L:280-500*w:200-400*H:200-400mm	L:200-450*w:150-400*H:100-350mm	L:200-450*w:150-400*H:100-350mm
使用功率 Power requirements	750W(AC380V 3F)	750W(AC380V 3F)	750W(AC380V 3F)
空气压力 Air consumption	4-5kg/cm2	5-6kg/cm2	5-6kg/cm2
空气消耗 Air consumption	450NL/min	150NL/min	150NL/min
机器尺寸 Sizes	L3540*W1250*H1840mm	L2000*W1900*H1200mm	L2000*W1900*H1200mm
机器重量 Machine weight	990kgs	350kgs	350kgs
胶带尺寸 Main motor power	1 1/2", 2", 2/12", 3"	1 1/2", 2", 2/12", 3"	1 1/2", 2", 2/12", 3"



Fit for sealing uniform size carton in mass produc- -tion line.Automatic flaps folding and, top and bottomsealingSide belts driven, suitable for heavy duty operation.

全自动封箱机
Aautomatic Carton sealer

本系列是以无人化机型，，纸箱 . 上盖自动折人，上下 "" 字型自动封箱，适合同 - 一时间段同种规格纸箱传动设计方式为两侧皮带驱动适用纸箱规格内，不同规格纸箱手动调整机件性能精密又耐用，操作方便，运转稳固，使用寿命长，无噪音保证较人工贴带美观、速度快、效率高标准规格品，零件随时供应

技术参数 / Technical parameters

适用纸箱 Carton Size	L：200-600mm W：150-500mm H：120-500mm
台面高度 Table Height	(min) 580mm(max)780mm
皮带速度 Belt Speed	18m/min
机器尺寸 Machine Size	L:1690mm W:830mm H:1180mm
电源 Power	220V380V single phase, 50/60Hz or specified by client
气源 Pneumatic	50kg/cm2
胶带宽度 Tape Width	48mm,60mm,75mm(alternative use)
机器重量 Machine weight	approx,180kgs

全自动装箱机
Aautomatic Carton Packer

在自动包装流水线中，装箱机是整个系统运行的核心。装箱机用于完成运输包装，它是将成品按 - 定排列装 人纸箱的一种机器。适用于各生产线上的小瓶口的各类瓶型。

In the whole package line, case packer is the centerof thew hole system. Case packer will transport and packthe finishedproduct in to paper box according to the re-quired arrange. Applicable to all small-bottle neck production linesof various types.







全自动理瓶机
Automatic Empty Bottle unscrambler



我们 LSN-UR / UL 系列自动理瓶机采用先进的技术。可以根据客户要求定制，例如产量、厂房空间大小等等。

Our LSN-UR/UL series type bottle unscrambler adopts advanced technology. which can be customized according to customer requirements, such as the capacity ,area and so on .

www.longsn-machine.com